

**Layer-4A**

**GABHARA**

**GAUTAM SWAMI**

**P.L.-1A**

**GAUTAM SWAMI**

**P.L.-1A**

**Scale:** 1/8" = 1'-0"

**Legend:**

- 1/8" = 1'-0"
- 1/4" = 2'-0"
- 1/2" = 4'-0"
- 3/4" = 6'-0"
- 1" = 8'-0"
- 1 1/4" = 12'-0"
- 1 1/2" = 14'-0"
- 1 3/4" = 16'-0"
- 2" = 18'-0"
- 2 1/4" = 21'-0"
- 2 1/2" = 24'-0"
- 2 3/4" = 27'-0"
- 3" = 30'-0"
- 3 1/4" = 33'-0"
- 3 1/2" = 36'-0"
- 3 3/4" = 39'-0"
- 4" = 42'-0"
- 4 1/4" = 45'-0"
- 4 1/2" = 48'-0"
- 4 3/4" = 51'-0"
- 5" = 54'-0"
- 5 1/4" = 57'-0"
- 5 1/2" = 60'-0"
- 5 3/4" = 63'-0"
- 6" = 66'-0"
- 6 1/4" = 69'-0"
- 6 1/2" = 72'-0"
- 6 3/4" = 75'-0"
- 7" = 78'-0"
- 7 1/4" = 81'-0"
- 7 1/2" = 84'-0"
- 7 3/4" = 87'-0"
- 8" = 90'-0"
- 8 1/4" = 93'-0"
- 8 1/2" = 96'-0"
- 8 3/4" = 99'-0"
- 9" = 102'-0"
- 9 1/4" = 105'-0"
- 9 1/2" = 108'-0"
- 9 3/4" = 111'-0"
- 10" = 114'-0"
- 10 1/4" = 117'-0"
- 10 1/2" = 120'-0"
- 10 3/4" = 123'-0"
- 11" = 126'-0"
- 11 1/4" = 129'-0"
- 11 1/2" = 132'-0"
- 11 3/4" = 135'-0"
- 12" = 138'-0"
- 12 1/4" = 141'-0"
- 12 1/2" = 144'-0"
- 12 3/4" = 147'-0"
- 13" = 150'-0"
- 13 1/4" = 153'-0"
- 13 1/2" = 156'-0"
- 13 3/4" = 159'-0"
- 14" = 162'-0"
- 14 1/4" = 165'-0"
- 14 1/2" = 168'-0"
- 14 3/4" = 171'-0"
- 15" = 174'-0"
- 15 1/4" = 177'-0"
- 15 1/2" = 180'-0"
- 15 3/4" = 183'-0"
- 16" = 186'-0"
- 16 1/4" = 189'-0"
- 16 1/2" = 192'-0"
- 16 3/4" = 195'-0"
- 17" = 198'-0"
- 17 1/4" = 201'-0"
- 17 1/2" = 204'-0"
- 17 3/4" = 207'-0"
- 18" = 210'-0"
- 18 1/4" = 213'-0"
- 18 1/2" = 216'-0"
- 18 3/4" = 219'-0"
- 19" = 222'-0"
- 19 1/4" = 225'-0"
- 19 1/2" = 228'-0"
- 19 3/4" = 231'-0"
- 20" = 234'-0"
- 20 1/4" = 237'-0"
- 20 1/2" = 240'-0"
- 20 3/4" = 243'-0"
- 21" = 246'-0"
- 21 1/4" = 249'-0"
- 21 1/2" = 252'-0"
- 21 3/4" = 255'-0"
- 22" = 258'-0"
- 22 1/4" = 261'-0"
- 22 1/2" = 264'-0"
- 22 3/4" = 267'-0"
- 23" = 270'-0"
- 23 1/4" = 273'-0"
- 23 1/2" = 276'-0"
- 23 3/4" = 279'-0"
- 24" = 282'-0"
- 24 1/4" = 285'-0"
- 24 1/2" = 288'-0"
- 24 3/4" = 291'-0"
- 25" = 294'-0"
- 25 1/4" = 297'-0"
- 25 1/2" = 300'-0"
- 25 3/4" = 303'-0"
- 26" = 306'-0"
- 26 1/4" = 309'-0"
- 26 1/2" = 312'-0"
- 26 3/4" = 315'-0"
- 27" = 318'-0"
- 27 1/4" = 321'-0"
- 27 1/2" = 324'-0"
- 27 3/4" = 327'-0"
- 28" = 330'-0"
- 28 1/4" = 333'-0"
- 28 1/2" = 336'-0"
- 28 3/4" = 339'-0"
- 29" = 342'-0"
- 29 1/4" = 345'-0"
- 29 1/2" = 348'-0"
- 29 3/4" = 351'-0"
- 30" = 354'-0"
- 30 1/4" = 357'-0"
- 30 1/2" = 360'-0"
- 30 3/4" = 363'-0"
- 31" = 366'-0"
- 31 1/4" = 369'-0"
- 31 1/2" = 372'-0"
- 31 3/4" = 375'-0"
- 32" = 378'-0"
- 32 1/4" = 381'-0"
- 32 1/2" = 384'-0"
- 32 3/4" = 387'-0"
- 33" = 390'-0"
- 33 1/4" = 393'-0"
- 33 1/2" = 396'-0"
- 33 3/4" = 399'-0"
- 34" = 402'-0"
- 34 1/4" = 405'-0"
- 34 1/2" = 408'-0"
- 34 3/4" = 411'-0"
- 35" = 414'-0"
- 35 1/4" = 417'-0"
- 35 1/2" = 420'-0"
- 35 3/4" = 423'-0"
- 36" = 426'-0"
- 36 1/4" = 429'-0"
- 36 1/2" = 432'-0"
- 36 3/4" = 435'-0"
- 37" = 438'-0"
- 37 1/4" = 441'-0"
- 37 1/2" = 444'-0"
- 37 3/4" = 447'-0"
- 38" = 450'-0"
- 38 1/4" = 453'-0"
- 38 1/2" = 456'-0"
- 38 3/4" = 459'-0"
- 39" = 462'-0"
- 39 1/4" = 465'-0"
- 39 1/2" = 468'-0"
- 39 3/4" = 471'-0"
- 40" = 474'-0"
- 40 1/4" = 477'-0"
- 40 1/2" = 480'-0"
- 40 3/4" = 483'-0"
- 41" = 486'-0"
- 41 1/4" = 489'-0"
- 41 1/2" = 492'-0"
- 41 3/4" = 495'-0"
- 42" = 498'-0"
- 42 1/4" = 501'-0"
- 42 1/2" = 504'-0"
- 42 3/4" = 507'-0"
- 43" = 510'-0"
- 43 1/4" = 513'-0"
- 43 1/2" = 516'-0"
- 43 3/4" = 519'-0"
- 44" = 522'-0"
- 44 1/4" = 525'-0"
- 44 1/2" = 528'-0"
- 44 3/4" = 531'-0"
- 45" = 534'-0"
- 45 1/4" = 537'-0"
- 45 1/2" = 540'-0"
- 45 3/4" = 543'-0"
- 46" = 546'-0"
- 46 1/4" = 549'-0"
- 46 1/2" = 552'-0"
- 46 3/4" = 555'-0"
- 47" = 558'-0"
- 47 1/4" = 561'-0"
- 47 1/2" = 564'-0"
- 47 3/4" = 567'-0"
- 48" = 570'-0"
- 48 1/4" = 573'-0"
- 48 1/2" = 576'-0"
- 48 3/4" = 579'-0"
- 49" = 582'-0"
- 49 1/4" = 585'-0"
- 49 1/2" = 588'-0"
- 49 3/4" = 591'-0"
- 50" = 594'-0"
- 50 1/4" = 597'-0"
- 50 1/2" = 600'-0"
- 50 3/4" = 603'-0"
- 51" = 606'-0"
- 51 1/4" = 609'-0"
- 51 1/2" = 612'-0"
- 51 3/4

Technical drawing of a floor slab (ELEA) showing a grid of reinforcement bars. The drawing includes a plan view of the slab with a grid of blue and red lines. The grid is labeled with '1' and '2' in blue and red. The slab is supported by walls on the left and right. A section line 'ELEA' is shown. To the right of the drawing are four detail diagrams: TYPE 1 (NOS. 74), TYPE 2 (NOS. 21), TYPE 3 (NOS. 10), and TYPE 4 (NOS. 12). Each detail shows a cross-section of the slab with reinforcement bars and dimensions.

The drawing shows a building facade with a diamond-patterned glass curtain wall. The side elevation (left) shows a building with a decorative cornice and a series of windows. The floor plan (right) shows a rectangular building with a grid of windows. The windows are labeled with numbers 1 through 100. The drawing is titled 'ELE-B-8 & C'.